


Edelstahl Rechteckrohre

geschweißt




Weitere Legierungen und Abmessungen gerne auf Anfrage!

Werkstoffnummer	1.4301	1.4571/1.4404
Werkstoffname	X5CrNi18-10	X6CrNiMoTi17-12-2/X2CrNiMo17-12-2
ASTM	AISI 304	AISI 316Ti/AISI 316L
DIN-Zustand	ungeglüht	ungeglüht
Ausführung	geschweißt	geschweißt
HL (mm) ca.	6.000	6.000
Abmessung h x b x s (mm)	Gewicht (~kg/m)	
20 x 10 x 1,0	0,42	○
x 1,2	0,54	○
x 1,5	0,68	○
20 x 15 x 1,5	0,85	●
25 x 10 x 1,5	0,78	●
25 x 15 x 1,2	0,73	○
25 x 15 x 1,5	0,92	●
x 2,0	1,16	●
30 x 10 x 1,2	0,73	●
30 x 10 x 1,5	0,92	●
30 x 15 x 1,2	0,81	●
x 1,5	1,10	●
x 2,0	1,47	○
30 x 20 x 1,0	0,77	○
x 1,5	1,16	●
x 2,0	1,53	●
35 x 15 x 1,5	1,02	○
35 x 20 x 2,0	1,69	○
40 x 10 x 1,5	1,16	●
40 x 15 x 1,0	0,85	●
x 1,5	1,26	●
x 2,0	1,65	○
40 x 20 x 1,0	0,93	●
x 1,2	1,14	●
x 1,5	1,41	●
x 2,0	1,85	●
x 3,0	2,65	●
40 x 25 x 1,5	1,53	○
x 2,0	2,02	●
40 x 30 x 1,2	1,30	●
x 1,5	1,61	●
x 2,0	2,18	●
x 3,0	3,12	●
50 x 15 x 1,5	1,53	○
50 x 20 x 1,2	1,50	●
x 1,5	1,57	●
x 2,0	2,18	●
50 x 25 x 1,5	1,78	●
x 2,0	2,34	●
50 x 30 x 1,2	1,50	○
x 1,5	1,90	●
x 2,0	2,50	●
x 3,0	3,68	●
50 x 40 x 2,0	2,80	●
x 3,0	4,08	●
60 x 20 x 1,2	1,50	○
x 1,5	1,90	●
x 2,0	2,50	●

○ = kurzfristig lieferbar ● = auf Lager

Edelstahl Rechteckrohre

geschweißt



Werkstoffnummer	1.4301	1.4571/1.4404	
Werkstoffname	X5CrNi18-10	X6CrNiMoTi17-12-2 / X2CrNiMo17-12-2	
ASTM	AISI 304	AISI 316Ti / AISI 316L	
DIN-Zustand	ungeglüht	ungeglüht	
Ausführung	geschweißt	geschweißt	
HL (mm) ca.	6.000	6.000	
Abmessung h x b x s (mm)	Gewicht (~kg/m)		
60 x 25 x 1,5	2,02	○	○
60 x 30 x 1,5	2,14	●	○
60 x 30 x 2,0	2,83	●	○
60 x 30 x 3,0	4,19	●	○
60 x 40 x 1,5	2,39	●	○
60 x 40 x 2,0	3,16	●	○
60 x 40 x 2,5	4,07	○	○
60 x 40 x 3,0	4,66	●	○
60 x 40 x 4,0	6,11	●	○
70 x 40 x 2,0	3,41	○	○
70 x 40 x 3,0	5,15	○	○
70 x 50 x 2,0	3,81	○	○
80 x 20 x 2,0	3,04	●	○
80 x 30 x 2,0	3,43	○	○
80 x 30 x 3,0	5,15	○	○
80 x 40 x 2,0	3,81	●	○
80 x 40 x 3,0	5,63	●	○
80 x 40 x 4,0	7,41	●	○
80 x 40 x 5,0	9,14	○	○
80 x 50 x 2,0	4,13	○	○
80 x 50 x 3,0	5,95	●	○
80 x 50 x 4,0	8,06	○	○
80 x 50 x 5,0	9,95	○	○
80 x 60 x 2,0	4,56	●	○
80 x 60 x 3,0	6,61	●	○
80 x 60 x 4,0	8,71	●	○
100 x 20 x 2,0	3,81	●	○
100 x 30 x 2,0	3,96	○	○
100 x 30 x 3,0	5,90	○	○
100 x 40 x 2,0	4,56	●	○
100 x 40 x 3,0	6,84	●	○
100 x 40 x 4,0	9,11	○	○
100 x 50 x 2,0	4,88	●	○
100 x 50 x 3,0	7,10	●	○
100 x 50 x 4,0	9,37	●	○
100 x 50 x 5,0	12,21	●	○
100 x 60 x 2,0	5,11	○	○
100 x 60 x 3,0	7,59	●	○
100 x 60 x 4,0	10,02	●	○
100 x 60 x 5,0	13,02	○	○
100 x 80 x 2,0	5,76	○	○
100 x 80 x 3,0	8,39	●	○
100 x 80 x 4,0	12,36	●	○
120 x 40 x 2,0	5,00	○	○
120 x 40 x 3,0	7,59	○	○
120 x 40 x 4,0	9,81	○	○
120 x 60 x 2,0	5,76	●	○
120 x 60 x 3,0	8,56	●	○

○ = kurzfristig lieferbar ● = auf Lager



Edelstahl Rechteckrohre

geschweißt

Weitere Legierungen und Abmessungen gerne auf Anfrage!

Werkstoffnummer	1.4301	1.4571/1.4404
Werkstoffname	X5CrNi18-10	X6CrNiMoTi17-12-2/X2CrNiMo17-12-2
ASTM	AISI 304	AISI 316Ti/AISI 316L
DIN-Zustand	ungeglüht	ungeglüht
Ausführung	geschweißt	geschweißt
HL (mm) ca.	6.000	6.000
Abmessung h x b x s (mm)	Gewicht (~kg/m)	
120 x 60 x 4,0	11,32	●
x 5,0	13,44	○
120 x 80 x 3,0	9,54	○
x 4,0	12,22	○
x 5,0	15,04	○
140 x 80 x 5,0	16,92	○
150 x 50 x 2,0	6,28	○
x 3,0	9,54	○
x 4,0	12,36	○
150 x 100 x 3,0	11,98	○
x 4,0	15,88	○
150 x 100 x 5,0	19,72	○
160 x 80 x 3,0	11,26	○
x 5,0	18,90	○
200 x 100 x 3,0	14,42	○
x 4,0	18,74	●
x 5,0	22,80	○
x 6,0	27,36	○
200 x 150 x 8,0	43,97	○
250 x 150 x 4,0	25,64	○

○ = kurzfristig lieferbar ● = auf Lager



VA
○
□